


LINESCAPES FLOOR

Famille de luminaires (lampadaire, applique et plafonnier) polyvalents à très hautrendement lumineux avec développement linéaire.

Structure en aluminium extrudé, diffuseuren polycarbonate blanc mat. Les versions encastrables, plafond et mur, sont fournies avecun kit de connexion et alimentation (convertisseur à déporter). Finitions en blanc ou noiravec parties des éléments peintes en gris pour les versions lampadaire et applique.



LED 2700K

LAMPING

Source	linear LED
Total power	38W
Emission	diffused
Switching	dimmable
Tension	110/240V
Color temperature	2700K
Luminous flux	2050lm
Typ CRI	85
Energy class	A+
Materials	Aluminium + PC + ABS
Notes	dimmer on cable, cable length 2,5m
Net lamp weight	8,9 kg

Codes

LIN LW2 21
LIN LN2 21

Structure/Diffuser

white/grey/white
black/grey/white

PACKAGE

Package 01	Dimension: 15x15x15 cm / Gross weight: 4,7 kg
Package 02	Dimension: 20x20x204 cm / Gross weight: 5,5 kg

Certificazioni



LED 3000K

LAMPING

Source	linear LED
Total power	38W
Emission	diffused
Switching	dimmable
Tension	110/240V
Color temperature	3000K
Luminous flux	2050lm
Typ CRI	85
Energy class	A+
Materials	Aluminium + PC + ABS
Notes	dimmer on cable, cable length 2,5m
Net lamp weight	8,9 kg

Codes

LIN LWD 21
LIN LND 21

Structure/Diffuser

white/grey/white
black/grey/white

PACKAGE

Package 01	Dimension: 15x15x15 cm / Gross weight: 4,7 kg
Package 02	Dimension: 20x20x204 cm / Gross weight: 5,5 kg

Certificazioni

