AVALON CHANDELIER HALO X-LARGE CEILING MOUNTING PLATE

FINISH

satin brass finish with alabaster bronze finish with alabaster

DIMENSIONS (body of fixture)

ø 1010 x 70 mm (dia x h) ø 1300 x 70 mm (dia x h)

WEIGHT

75kg (165.3lbs) additional support around junction box required for installation

OVERALL DROP

minimum 535 mm maximum on request 5613 mm supplied with 2500 mm suspension cables

ILLUMINATION

integrated LED - 67w + 89w - 2700k2 x LED drivers to be installed in the cavity driver can be placed up to 2m away from the ceiling plate

DIMMING

trailing edge dimmable Dali option available (220-240v only)


CEILING ROSE / PLATE

round ceiling plate - ø 160 x 8 mm (dia x h)


CERTIFICATION





















| SKU NUMBER | FINISH DESCRIPTION | VOLTAGE |
|-------------------|-----------------------------------|------------|
| AVACH2BZHA-CM-240 | Bronze finish with alabaster | 220 - 240V |
| AVACHLSBHA-CM-240 | Satin brass finish with alabaster | 220 - 240V |
| AVACH2BZHA-CM-110 | Bronze finish with alabaster | 110 - 130V |
| AVACHLSBHA-CM-110 | Satin brass finish with alabaster | 110 - 130V |

AVALON CHANDELIER HALO X-LARGE CEILING ROSE

FINISH

satin brass finish with alabaster bronze finish with alabaster

DIMENSIONS (body of fixture)

ø 1010 x 70 mm (dia x h) ø 1300 x 70 mm (dia x h)

WEIGHT

76kg (167.5lbs) additional support around junction box required for installation

OVERALL DROP

minimum 535 mm maximum on request 5670 mm supplied with 2500 mm suspension cables

ILLUMINATION

integrated LED - 67w + 89w - 2700k 2 x LED driver to be installed in the ceiling rose

DIMMING


trailing edge dimmable Dali option available (220-240v only)


CEILING ROSE / PLATE


round ceiling rose - ø 240 x 65 mm (dia x h)

CERTIFICATION












mounting plate dimensions



^{*}Diagrams are not to scale.

| SKU NUMBER | FINISH DESCRIPTION | VOLTAGE |
|-------------------|-----------------------------------|------------|
| AVACH2BZHA-CR-240 | Bronze finish with alabaster | 220 - 240V |
| AVACH2SBHA-CR-240 | Satin brass finish with alabaster | 220 - 240V |
| AVACH2BZHA-CR-110 | Bronze finish with alabaster | 110 - 130V |
| AVACH2SBHA-CR-110 | Satin brass finish with alabaster | 110 - 130V |

AVALON CHANDELIER HALO X-LARGE CEILING MOUNTING PLATE - DALI

FINISH

satin brass finish with alabaster bronze finish with alabaster

DIMENSIONS (body of fixture)

ø 1010 x 70 mm (dia x h) ø 1300 x 70 mm (dia x h)

WEIGHT

75kg (165.3lbs) additional support around junction box required for installation

OVERALL DROP

minimum 535 mm maximum on request 5613 mm supplied with 2500 mm suspension cables

ILLUMINATION

integrated LED - 67w + 89w - 2700k2 x LED drivers to be installed in the cavity driver can be placed up to 2m away from the ceiling plate

DIMMING

Dali compatible


CEILING ROSE / PLATE

round ceiling plate - ø 160 x 8 mm (dia x h)


CERTIFICATION













mounting plate dimensions



LED driver dimensions



| SKU NUMBER | FINISH DESCRIPTION | TYPE OF DALI | VOLTAGE |
|-------------------------|-----------------------------------|--|------------|
| AVACH2BZHA-CM-DALIA-240 | Bronze finish with alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside existent ceiling/wall recess | 220 - 240V |
| AVACH2SBHA-CM-DALIA-240 | Satin brass finish with alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside existent ceiling/wall recess | 220 - 240V |

AVALON CHANDELIER HALO X-LARGE CEILING ROSE - DALI

FINISH

satin brass finish with alabaster bronze finish with alabaster

DIMENSIONS (body of fixture)

ø 1010 x 70 mm (dia x h) ø 1300 x 70 mm (dia x h)

WEIGHT

76kg (167.5lbs) additional support around junction box required for installation

OVERALL DROP

minimum 535 mm maximum on request 5670 mm supplied with 2500 mm suspension cables

ILLUMINATION

integrated LED - 67w + 89w - 2700k 2 x LED driver to be installed in the ceiling rose


DIMMING


Dali compatible


CEILING ROSE / PLATE

round ceiling rose - ø 240 x 65 mm (dia x h)

CERTIFICATION










mounting plate dimensions



| *Diagrams are not to scale. |
|-----------------------------|
|-----------------------------|

| SKU NUMBER | FINISH DESCRIPTION | TYPE OF DALI | VOLTAGE |
|-------------------------|-----------------------------------|---|------------|
| AVACH2BZHA-CR-DALIA-240 | Bronze finish with alabaster | DALI A included - For lights that do not require aesthetic alterations. | 220 - 240V |
| AVACH2SBHA-CR-DALIA-240 | Satin brass finish with alabaster | DALI A included - For lights that do not require aesthetic alterations. | 220 - 240V |